CUMULATIVE AUTHOR INDEX
Journal of Medical Entomology
Volume 38, 2001

A

Adam, F., 480
Adler, G. H., 210
Aksoy, S., 376
Alekseev, A. N., 471
Alekseev, E., 1
Alkrinawi, S., 458
Allen, M. L., 701
Almeida, A. P. G., 122
Almeida, F. F. L., 253
Almirón, W. R., 253
Alto, B. W., 548, 646
Alvarez, B. M., 214
Ammerman, L. K., 400
Anderson, J. F., 774
Andreadis, T. G., 135, 774
Añez, N., 39
Applegate, R. D., 118
Arcas, J. A., 172
Arredondo-Jimenez, J. I., 188
Arrivillaga, J. C., 783
Atkinson, P. W., 701
Avalos, G., 214

B

Bâ, Y., 480
Banerjee, M., 493
Banerjee, S. N., 493
Bangs, M. J., 720
Bar, M. E., 214
Barrera, R., 813
Basáñez, M.-G., 520
Beier, J. C., 388
Belongia, E. A., 33
Bernard, C., 657
Berretta, M. F., 172
Berry, R. L., 135
Bhaskaran, G., 85
Bisset, J., 623
Blanco, A., 371
Bland, S. N., 711
Blow, J. A., 694
Bobian, R. J., 728
Bøgh, C., 822
Bolshakov, C. V., 471
Bonizzoni, M., 376
Bons, N., 791
Bosseno, M.-F., 638
Botto, C., 520
Braig, H. R., 237
Braks, M. A. H., 868
Brenière, S. F., 638
Brewer, M., 253
Briegel, H., 557, 566
Broadwater, A., 99
Bullians, M., 135
Buonaccorsi, J. P., 537
Burdelova, N. V., 629
Burkhart, C. G., 127
Burkhart, C. N., 127
Burkot, T. R., 167
Byrne, S. K., 493

C

Calvete, C., 405
Campbell, S., 135
Canale, D. M., 147
Canals, M., 303
Carpenter, L., 298
Carroll, J. F., 114, 596
Castañera, M. B., 147
Castillo, J. A., 405
Catalá, S., 423
Cattan, P. E., 303
Ceballos, L. A., 429
Cecere, M. C., 147
Chang, S.-T., 455
Charlwood, J. D., 122
Chen, C.-C., 836
Chen, P.-F., 455
Cheng, Q., 376
Chevillon, C., 657
Chiles, R. E., 393
Chomsky, M. S., 344
Choochote, W., 753, 756
Clark, G. G., 537
Clarke, S. E., 822
Conrad, J. T., 223
Coronel, P., 520
Cortez, J., 520
Coscarón, M. C., 862
Costero, A., 537
Crans, W. J., 135
Crisante, G., 39
Cruz, M. D. S., 802
Cruzat, L., 303
Cruz-López, L., 188
Cruz-Vazquez, C., 111

D

Damborsky, M. P., 214
Davey, R. B., 44
Davis, R. M., 75
Dean, S. R., 85
Debboun, M., 809
Dekker, T., 868
Denning, S. S., 333
de Silva, A. M., 99
De Sousa, G. B., 371
Diallo, M., 480
Díez-Baños, N., 603
Díez-Baños, P., 603
Dixon, M. T., 400
Dobson, S. L., 382, 844
Dohm, D. J., 130, 462
Dolan, M. C., 167, 665
do Rosário, V. E., 122
Dubinina, H. V., 471
Dufva, R., 289
Dujardin, J. P., 423
Dunton, R. F., 242
Durden, L. A., 231, 493, 609, 850

E

Edelstein, J. D., 172
Edman, J. D., 411, 537, 641, 829
Eggleston, M. E., 665
Eshita, Y., 572
Estrada-Peña, A., 361
Evangelista, L. G., 749
Evans, S. R., 67

F

Failloux, A.-B., 740
Fava, F. D., 253

Feliciangeli, M. D., 783
Fernandez, M. P., 111
Fernando, K., 493
Ferreira, A., 303
Ferreira, C., 122
Ferro, C., 237, 260
Fielden, L. J., 629, 735
Fink, T. M., 341
Flores-Pérez, A., 638
Florin, D. A., 774
Fonseca, D. M., 135
Fontenille, D., 451, 480
Foster, C. N., 725
Foster, W. A., 22
Fox, L. B., 118
Frances, S. P., 17
Freier, J. E., 813
Friger, M., 161
Frontado, H., 520
Fujisaki, K., 514
Fukunaga, A., 572

G
Gage, K. L., 665
Galun, R., 458
Gamez, E. C., 111
Gannon, W. L., 609
García, B. A., 675
García, C. Z., 813
Garcia, N. L., 510
Garcia, S. L., 510
Gardenal, C. N., 371
Gary, R. E., Jr., 22
George, J. E., 298
Gerry, A. C., 197, 760
Gfeller, F. J., 193
Ghosh, K., 260
Gilmore, R. D., Jr., 665
Gimnig, J. E., 282, 531
Githure, J. I., 388
Glenister, C. S., 278
Goff, M. L., 347
Gracia, M. J., 405
Green, E.-G. N., 393
Gregory, L. M., 576
Grillet, M.-E., 520
Guerrero, F., 298
Guerrero, F. D., 44
Guevara, P., 39
Gürtler, R. E., 147, 429
Gutierrez, A. G., 67

H
Hanada, K., 514
Happ, C. M., 167
Harrington, L. C., 411, 537, 641
Hawley, W. A., 282, 531
Hayden, C. W., 341
Hoang, T. H., 740
Hodgson, J. C., 59
Hou, R. F., 836
Hsu, M. H., 352
Hung, R. W., 318, 344
Hynes, W. L., 99

I
Igarashi, I., 514
Inoue, N., 514
Ioffe-Uspensky, I., 458
Irungu, L. W., 531

J
Jarial, M. S., 446
Jitpakdi, A., 753
Johansen, C. A., 581
Johns, R., 99
Jones, J. W., 130
Jordan, R. A., 318, 344, 606
Juliano, S. A., 548, 646

K
Kalischuk-Tymensen, L. D., 180
Kamau, L., 282
Kamimura, K., 51
Kanton, K., 725
Kaufman, M. G., 711
Kaufman, P. E., 278
Kay, B. H., 441, 720
Kazmierczak, J. J., 33
Keirans, J. E., 850
Kengluecha, A., 108, 601
Kerr, S. F., 268
Khlaimanee, N., 108
Khokhlova, I., 735
Khokhlova, I. S., 629
Kinsey, A. A., 231
Kittayapong, P., 537
Klug, M. J., 711
Klun, J. A., 809
Kolczak, M., 531
Kollars, T. M., Jr., 108, 601
Komar, N., 59
Koon, L. L., 475
Kow, C. Y., 475
Krafsur, E. S., 218
Krahforst, C. F., 59
Krakower, D. S., 289
Kramer, L. D., 393
Kramer, M., 596
Krasnov, B., 735
Krasnov, B. R., 629
Kuhn, R., 557
Kumar, R., 728

L
Lai, S.-C., 836
Lampo, M., 12, 501
Lane, R. S., 75, 684
Lanzaro, G. C., 336
Latta, S. C., 437
Lau, P., 12
Lauzán, L., 623
Lecuona, R. E., 172
Lee, H.-J., 245
Legg, D., 728
Leite, A. C. R., 749
Lerdthusnee, K., 29
Lertthamnongtham, S., 746
Levesque, C. S., 701
Lima, S. P., 763
Lindsay, S. W., 822
Lindström, K. M., 289
Liria, J., 813
Listiyaningsih, E., 720
Lloyd, J. E., Sr., 728
Lockwood, J. A., 55
Long, S. J., 278
Longnecker, M. T., 589
López, C., 603
López-Ortega, G., 153
Lothrop, H. D., 325
Lozano-Kasten, F., 638
Lucientes, J., 405
Luna, C., 376
Lund Petersen, C., 429
Lundström, J. O., 289
Lysyk, T. J., 180

M
Mackenzie, J. S., 581
MacLachlan, N. J., 197

Magallón-Gastélum, E., 638
Maïga, A., 480
Mangan, S. A., 210
Mangiafico, J. A., 772
Mann, R. B., 493
Manor, E., 458
Maré, C. J., 341
Marinotti, O., 763
Markowski, D., 344
Marquez, J. G., 218
Márquez, L. M., 12
Marquine, M., 657, 740
Marrelli, M. T., 763
Marsland, E. J., 382
Martinez, V. M., 393
Mateo, M. P. M., 802
Mathenge, E. M., 531
Matsuoka, H., 572
Maupin, G. O., 167
McHugh, C. P., 268
Mead, D. G., 341
Mecham, J. O., 197
Meinke, P. T., 576
Mello, M. L. S., 510
Méndez, W., 813
Meola, R. W., 85
Metzger, M. E., 465
Meunier, J.-Y., 451
Mikami, T., 514
Miller, J., 161
Miller, R. J., 44, 298
Minakawa, N., 388
Miyagi, I., 135
Mock, D. E., 118
Modrzakowski, M. C., 29
Mogi, M., 135
Molina, M. C., 303
Molina de Fernandez, D., 623
Moll, R. M., 29
Moncayo, A. C., 29, 768
Mondo, M., 480
Montenieri, J. A., 665
Moon, R. D., 218
Mora, J., 772
Morales-Malacara, J. B., 153
Moreira, C. K., 763
Moribayashi, A., 572
Moriyama, E. N., 675
Morohashi, M., 51
Morrondo, P., 603
Morshed, M. G., 493
Moyses, E. W., 193
Mukhopadhyay, J., 260
Mullens, B. A., 197, 760
Mumcuoglu, K. Y., 161, 458
Mumcuoglu, M., 161
Munstermann, L. E., 237, 260, 774
Murphy, M. W., 242
Mutebi, J.-P., 769

N

Nagasawa, H., 514
Nam, V. S., 740
Nancé, E., 791
Navarro, J.-C., 813
Niven, D. F., 312
Nkondjio, C. A., 451
Norris, D. E., 336
Nunamaker, R. A., 55

O

O'Brien, J. J., 67
O'brochta, D. A., 701
O'Connor, B. M., 437
Oda, T., 572
O'Guinn, M. L., 130
Ohmori, D., 572
Ohnishi, J., 99
Oliver, J. H., Jr., 231
Olsen, B., 289
Olson, J. K., 746, 756
Ombok, M., 282, 531
O'Neill, S. L., 237
Oneto, M. L., 147
Ono, M., 237
Osácar, J. J., 405
Oscherov, E. B., 214
Ostrander, B. F., 268
Otsuka, Y., 308

P

Padgett, K. A., 684
Pagac, B., 135
Panadero, R., 603
Parra, M. R., 111
Paskewitz, S. M., 33
Pasteur, N., 657, 740, 791
Paz, A., 603
Pellitteri, P., 725
Peribañez, M. A., 405
Perich, M. J., 242
Perotti, M. A., 180
Pham, X. D., 308
Phillips, D. A., 581
Phulsuksombati, D., 17
Piangjai, S., 746, 756
Piesman, J., 665
Pinckney, R. D., 725
Pinder, M., 822
Pinto, J., 122
Pinto-Santíni, D., 39
Pitasawat, B., 753
Platt, K. B., 772
Pollack, R. J., 59
Porter, K. R., 720
Powell, J. R., 675
Presman, H., 214
Pyke, A. T., 581

R

Ramberg, F. B., 341
Ramirez, J. L., 39
Rattanadechakul, W., 382, 844
Rau, M. E., 312
Raymond, R. W., 268
Reisen, W. K., 325, 393
Richardson, M. S., 347
Richerson, J. V., 400
Rinaldi, M., 12
Ritchie, S. A., 581
Ritzi, C. M., 400
Robinson, A. S., 376
Rocha, O. J., 772
Rodrigues, V. L. C. C., 510
Rodríguez, M. H., 188
Rodríguez, M. M., 623
Rojas, A., 39
Romoser, W. S., 29
Rowley, W. A., 242, 772
Rubén La Rossa, F., 172
Russell, B. M., 441
Rust, M. K., 465
Rutz, D. A., 278

S

Salas, R., 813
Salomon, O. D., 429

Samish, M., 1
Sampath, R. R., 613
Sanyang, F., 822
Sardelis, M. R., 135
Sarov, B., 458
Schaefer, C. W., 862
Schal, C., 333
Schmidt, W. F., 809
Schmidtmann, E. T., 728
Schulze, T. L., 318, 344, 606
Scott, J. D., 493
Scott, T. W., 411, 537, 771
Seki, T., 51
Selinger, L. B., 180
Semenov, A. V., 471
Shahabuddin, M., 223
Sharma, V. P., 613
Shipton, W., 441
Shirai, Y., 51
Shoop, W. L., 576
Shurtleff, A. C., 336
Silverman, A. L., 694
Slowik, T. J., 75
Soca, A., 623
Sonenshine, D. E., 99
Sousa, C. A., 122
Spielman, A., 59
Steinberg, H., 725
Steinlein, D. B., 609
Strey, O. F., 589
Stromdahl, E. Y., 67
Sukontason, K., 753, 756
Sukontason, K. L., 756
Suntaravitun, T., 753
Suntsov, V. V., 210
Suntsova, N. I., 210
Suzuki, H., 308

T

Tabachnick, W. J., 728
Takagi, M., 93
Takano-Lee, M., 829
Takaoka, H., 308
Takken, W., 868
Tan, R., 720
Tanda, D. T., 665
Tang, L., 93
Tanskul, P., 108
Tarshis, M., 161
Taylor, R. C., 344
Tchuinkam, T., 451
Teel, P. D., 589
Thonon, J., 480
Timmermann, S. E., 566
Toma, T., 135
Torgerson, D., 501
Torres-Estrada, J. L., 188
Touré, Y. T., 336
Traoré-Lamizana, M., 480
Trueba, G., 772
Tsai, C.-W., 245
Tsuda, Y., 93
Tsuji, N., 514
Turell, M. J., 130, 462, 694

U

Uchida, K., 572

V

van den Hurk, A. F., 581
Vandermause, M., 33
Vazquez Prokopec, G. M., 429
Velten, R. K., 760
Vichairat, K., 746
Villamizar, N., 520
Villarino, M. A., 780
Vivas-Martínez, S., 520
Vogtsberger, R. C., 746, 756

W

Waggoner, J. W., Jr., 728
Waghela, S. D., 780
Wagner, G. G., 780
Walker, E. D., 694, 711
Wallace, G. T., 59
Wallage, H. R., 312
Waltert, A., 557
Wang, P., 223
Wang, S., 93
Wang, S.-Y., 455
Wang, Z., 93
Watcharapichat, P., 17
Watson, D. W., 333
Weaver, S. C., 813
Welch, J. B., 298
Wilkerson, R. C., 135
Wisnivesky-Colli, C., 214
Wolfe, R. J., 774
Wongkamchai, S., 753
Woo, P. T. K., 501
Worthen, M. E., 711
Wu, H.-H., 455
Wu, W. J., 352

Y

Yadav, R. S., 613
Yan, G., 388
Yanke, L. J., 180
Yin, P. F., 475

Z

Zakson-Aiken, M., 576
Zaldivar, M. E., 772
Zborowski, P., 581
Zeller, H. G., 480
Zheng, L., 376
Zurek, L., 333

CUMULATIVE SUBJECT INDEX
Journal of Medical Entomology
Volume 38, 2001

A

Acari,
  exotic tick importation, 850
  imported, 850
  tick, 850
acaricide resistance,
  Boophilus microplus, 780
  esterase activity, 780
  tick integument, 780
Acarina,
  Argasidae, 665
  Borrelia parkeri, 665
  Ornithodoros parkeri, 665
  ticks, 665
accidental infestation,
  Indian meal moth larva, 725
  Plodia interpunctella, 725
adult population size,
  Aedes albopictus, 646
  global climate change, 646
  mortality eclosion rates, 646
adult survivorship,
  Aedes aegypti, 537
  dispersal, 537
  mark-release-recapture data analysis, 537
  Puerto Rico, 537
  Thailand, 537
Aedes,
  arboviruses, 480
  Barkedji, 480
  Culex, 480
  Rift Valley fever, 480
  Senegal, 480
Aedes aegypti, 93, 475, 537, 623, 641, 720
  adult survivorship, 537
  Aedes albopictus, 475
  Cuba, 623
  dengue, 475
  dengue detection, 720
  dispersal, 537
  field populations, 641
  Hainan Island, 93
  insecticide resistance, 623
  mark-release-recapture, 93
  mark-release-recapture data analysis, 537
  mechanisms, 623
  movement, 93
  oviposition, 641
  polymerase chain reaction, 475
  Puerto Rico, 537
  reverse-transcriptase polymerase chain reaction, 720
  sticky lure, 720
  survival, 93
  Thailand, 537
  Venezuela, 623
  vertical transmission, 475
  virus surveillance, 720
Aedes aegypti,
  chirality, 809
  nuclear magnetic resonance, 809
  repellent, 809
  structure activity relationship, 809
Aedes albopictus, 51, 475, 548, 566, 646, 844
  adult population size, 646
  Aedes aegypti, 475
  alightment, 51
  asymptotic density, 548
  body size, 566
  Culex pipiens, 844
  cytoplasmic incompatibility, 844
  dengue, 475
  development, 566
  emergence rate, 548
  fecundity, 566
  global climate change, 548, 646
  L-lactic acid, 51
  mortality eclosion rates, 646
  mortality rate, 548
  mosquito repellent, 51
  polymerase chain reaction, 475
  rate of increase, 548
  repellency, 51
  reserves, 566
  survival, 566
  tetracycline, 844
  vertical transmission, 475
  Wolbachia pipientis, 844

Aedes lineatopennis,
egg, 753
fine structure, 753
scanning electron microscopy, 753
Aedes triseriatus,
bacterial production, 711
fungal biomass, 711
larval nutrition, 711
Aedes vexans,
flight, 557
physiology, 557
reproductive potential, 557
reserves, 557
size, 557
alightment,
Aedes albopictus, 51
L-lactic acid, 51
mosquito repellent, 51
repellency, 51
Amazonas,
biting rate parity, 520
onchocerciasis, 520
Simulium guianense, 520
Simulium incrustatum, 520
Simulium oyapockense, 520
Amblyomma americanum, 67, 118, 589, 606
Dermacentor variabilis, 67
drag sampling, 606
Ixodes scapularis, 67, 606
Ixodidae, 118, 589
juvenile hormone analog, 589
Kansas, 118
lone star tick, 118
Lyme disease, 67, 606
Meleagris gallopavo, 118
pryriproxyfen, 589
rickettsioses, 67
survival, 589
tick-borne disease, 67
water-balance, 589
wild turkey, 118
Amblyomma americanum kairomone,
arrestant, 114
bioassay, 114
Ixodes scapularis, 114
Odocoileus virginianus, 114
American dog tick,
opossum, 601
polymerase chain reaction, 601
raccoon, 601
Rickettsia, 601
amino acids,
infusion, 572
mosquitoes, 572
ovarian development, 572
anemia,
Anopheles culicifacies, 613
bednets, 613
deltamethrin, 613
India, 613
malaria, 613
animal protection, 728, 760
black flies, 728
bluetongue, 760
Ceratopogonidae, 760
Culicoides, 760
insect-transmitted disease, 728
mosquitoes, 728
permethrin, 728, 760
Anopheles arabiensis,
Anopheles gambiae, 822
Anopheles melas, 822
malaria, 822
The Gambia, 822
zooprophylaxis, 822
Anopheles culicifacies,
anemia, 613
bednets, 613
deltamethrin, 613
India, 613
malaria, 613
Anopheles darlingi,
malaria vector, 763
proteins, 763
salivary glands, 763
Anopheles funestus,
Anopheles gambiae complex, 531
bednets, 531
behavior, 531
Anopheles gambiae, 22, 822, 868
Anopheles arabiensis, 822
Anopheles melas, 822
Anopheles quadriannulatus, 868
behavior, 868
biting frequency, 22
fecundity, 22
host choice, 868
malaria, 822
odors, 868
sugar feeding, 22

survival, 22
The Gambia, 822
vectorial capacity, 22
zooprophylaxis, 822
Anopheles gambiae complex,
Anopheles funestus, 531
bednets, 531
behavior, 531
Anopheles gambiae s.s.,
host feeding pattern, 122
malaria, 122
São Tomé, 122
Anopheles melas,
Anopheles arabiensis, 822
Anopheles gambiae, 822
malaria, 822
The Gambia, 822
zooprophylaxis, 822
Anopheles quadriannulatus,
Anopheles gambiae, 868
behavior, 868
host choice, 868
odors, 868
antibody response,
cattle, 603
enzyme-linked immunosorbent assay, 603
Hypoderma spp., 603
ivermectin, 603
arboviruses,
Aedes, 480
Barkedji, 480
Culex, 480
Rift Valley fever, 480
Senegal, 480
Argasidae,
Acarina, 665
Borrelia parkeri, 665
Ornithodoros parkeri, 665
ticks, 665
Armigeres subalbatus,
granulocyte, 836
mosquito, 836
plasmatocyte, 836
wound-healing, 836
arrestant,
Amblyomma americanum kairomone, 114
bioassay, 114
Ixodes scapularis, 114
Odocoileus virginianus, 114
arthropods,
Ixodidae, 1
natural enemies, 1
predators, 1
tick biocontrol, 1
ticks, 1
Asia,
Culex pipiens, 740
gene amplification, 740
insecticide resistance evolution, 740
overproduced esterases, 740
resistance gene distribution, 740
asymptotic density,
Aedes albopictus, 548
emergence rate, 548
global climate change, 548
mortality rate, 548
rate of increase, 548
attractants,
dispersal, 829
monitoring, 829
resting, 829
Rhodnius prolixus, 829
Australia,
Culex sitiens group, 581
emerging diseases, 581
Japanese encephalitis virus, 581
Ochlerotatus vigilax, 581
triethylamine, 581
avermectin,
control, 576
flea, 576
membrane feeding, 576
systemic, 576

B

Bacillus sphaericus,
Bacillus thuringiensis, 657
Culex pipiens, 657
gene identification, 657
geographic distribution, 657
resistance, 657
Bacillus thuringiensis,
Bacillus sphaericus, 657
Culex pipiens, 657
gene identification, 657
geographic distribution, 657
resistance, 657
bacteria,
Culicidae, 29
meconium, 29
metamorphosis, 29

mosquito, 29
peritrophic membrane, 29
bacterial production,
Aedes triseriatus, 711
fungal biomass, 711
larval nutrition, 711
Barkedji,
Aedes, 480
arboviruses, 480
Culex, 480
Rift Valley fever, 480
Senegal, 480
bats,
New Mexico, 609
Ornithodoros kelleyi, 609
Ornithodoros rossi, 609
ticks, 609
bed bugs,
Cimex lectularius, 694
hepatitis B virus, 694
polymerase chain reaction, 694
bednets, 531, 613
anemia, 613
Anopheles culicifacies, 613
Anopheles funestus, 531
Anopheles gambiae complex, 531
behavior, 531
deltamethrin, 613
India, 613
malaria, 613
behavior, 531, 868
Anopheles funestus, 531
Anopheles gambiae, 868
Anopheles gambiae complex, 531
Anopheles quadriannulatus, 868
bednets, 531
host choice, 868
odors, 868
bioassay,
Amblyomma americanum
kairomone, 114
arrestant, 114
Ixodes scapularis, 114
Odocoileus virginianus, 114
birds,
Borrelia burgdorferi, 493
Canada, 493
Ixodes scapularis, 493
Lyme disease, 493
ticks, 493
biting frequency,
Anopheles gambiae, 22
fecundity, 22
sugar feeding, 22
survival, 22
vectorial capacity, 22
biting rate parity,
Amazonas, 520
onchocerciasis, 520
Simulium guianense, 520
Simulium incrustatum, 520
Simulium oyapockense, 520
black flies,
animal protection, 728
insect-transmitted disease, 728
mosquitoes, 728
permethrin, 728
blacklegged tick, 33, 596
Borrelia burgdorgeri, 33
Ixodes scapularis, 33
lone star tick, 596
Lyme disease, 33, 596
risk, 596
bloodfeeding,
Chagas' disease, 862
Linshcosteus, 862
Reduviidae, 862
similarity, 862
Triatominae, 862
bluetongue,
animal protection, 760
Ceratopogonidae, 760
Culicoides, 760
permethrin, 760
body size,
Aedes albopictus, 566
development, 566
fecundity, 566
reserves, 566
survival, 566
Boophilus microplus,
acaricide resistance, 780
esterase activity, 780
tick integument, 780
Borrelia,
Ehrlichia, 471
Ixodes ricinus, 471
migratory birds, 471
polymerase chain reaction, 471
Borrelia burgdorferi, 99, 493
birds, 493

Canada, 493
Dermacentor variabilis, 99
immunocompetence, 99
immunotolerance, 99
Ixodes scapularis, 99, 493
Lyme disease, 493
ticks, 493
Borrelia burgdorgeri,
blacklegged tick, 33
Ixodes scapularis, 33
Lyme disease, 33
Borrelia parkeri,
Acarina, 665
Argasidae, 665
Ornithodoros parkeri, 665
ticks, 665
Brumptomyia,
enzyme electrophoresis, 501
Lutzomyia, 501
species separation, 501
Venezuela, 501

C

Canada,
birds, 493
Borrelia burgdorferi, 493
Ixodes scapularis, 493
Lyme disease, 493
ticks, 493
cat flea,
Ctenocephalides felis, 85
feeding, 85
juvenile hormone, 85
juvenile hormone mimic, 85
reproduction, 85
cats,
Ctenocephalides canis, 111
Ctenocephalides felis felis, 111
dogs, 111
fleas, 111
Mexico, 111
cattle,
antibody response, 603
enzyme-linked immunosorbent assay, 603
Hypoderma spp., 603
ivermectin, 603
Ceratopogonidae,
animal protection, 760
bluetongue, 760
Culicoides, 760
permethrin, 760
Chagas' disease,
bloodfeeding, 862
Linshcosteus, 862
Reduviidae, 862
similarity, 862
Triatominae, 862
chigger,
mite, 108
rickettsiae, 108
scrub typhus, 108
Thailand, 108
Trombiculidae, 108
chirality,
Aedes aegypti, 809
nuclear magnetic resonance, 809
repellent, 809
structure activity relationship, 809
Cimex lectularius,
bed bugs, 694
hepatitis B virus, 694
polymerase chain reaction, 694
COI,
12S, 675
16S, 675
mtDNA sequences, 675
phylogeny, 675
Triatominae, 675
communal roosts,
Culiseta melanura, 59
eastern equine encephalomyelitis virus, 59
reservoir host, 59
robin, 59
starling, 59
Connecticut,
first record, 774
mosquito, 774
Ochlerotatus japonicus, 774
control,
avermectin, 576
flea, 576
membrane feeding, 576
systemic, 576
cryopreservation, 55
cryoprotectant, 55
Culicoides sonorensis, 55
insect embryos, 55
cryoprotectant, 55
cryopreservation, 55
Culicoides sonorensis, 55
insect embryos, 55

cryptic species, 12
gene flow, 12
isozyme electrophoresis, 12
Lutzomyia longipalpis, 12
sand flies, 12
visceral leishmaniasis, 12
Ctenocephalides canis,
cats, 111
Ctenocephalides felis felis, 111
dogs, 111
fleas, 111
Mexico, 111
Ctenocephalides felis,
cat flea, 85
feeding, 85
juvenile hormone, 85
juvenile hormone mimic, 85
reproduction, 85
Ctenocephalides felis felis,
cats, 111
Ctenocephalides canis, 111
dogs, 111
fleas, 111
Mexico, 111
Cuba,
Aedes aegypti, 623
insecticide resistance, 623
mechanisms, 623
Venezuela, 623
Culex,
Aedes, 480
arboviruses, 480
Barkedji, 480
Rift Valley fever, 480
Senegal, 480
Culex pipiens, 657, 740, 791, 844
Aedes albopictus, 844
Asia, 740
Bacillus sphaericus, 657
Bacillus thuringiensis, 657
cytoplasmic incompatibility, 844
esterases, 791
fitness, 791
gene amplification, 740, 791
gene identification, 657
geographic distribution, 657
immunocytochemistry, 791
insecticide resistance, 791
insecticide resistance evolution, 740
overproduced esterases, 740
resistance, 657
resistance gene distribution, 740
tetracycline, 844
Wolbachia pipientis, 844
Culex quinquefasciatus,
enhanced green fluorescent protein, 701
Hermes transposable element, 701
mosquito, 701
transgenic, 701
Culex sitiens group,
Australia, 581
emerging diseases, 581
Japanese encephalitis virus, 581
Ochlerotatus vigilax, 581
triethylamine, 581
Culicidae, 29, 813
bacteria, 29
dispersion, 813
habitats, 813
meconium, 29
metamorphosis, 29
mosquito, 29
peritrophic membrane, 29
Venezuelan equine encephalitis, 813
virus transport, 813
Culicoides,
animal protection, 760
bluetongue, 760
Ceratopogonidae, 760
permethrin, 760
Culicoides sonorensis,
cryopreservation, 55
cryoprotectant, 55
insect embryos, 55
Culiseta melanura,
communal roosts, 59
eastern equine encephalomyelitis virus, 59
reservoir host, 59
robin, 59
starling, 59
cytoplasmic incompatibility,
Aedes albopictus, 844
Culex pipiens, 844
tetracycline, 844
Wolbachia pipientis, 844

D

Damalinia,
Phthiraptera, 802
preantennal region, 802
scanning electron microscopy, 802

deltamethrin,
anemia, 613
Anopheles culicifacies, 613
bednets, 613
India, 613
malaria, 613
dengue,
Aedes aegypti, 475
Aedes albopictus, 475
polymerase chain reaction, 475
vertical transmission, 475
dengue detection,
Aedes aegypti, 720
reverse-transcriptase polymerase chain reaction, 720
sticky lure, 720
virus surveillance, 720
Dermacentor variabilis, 67, 99
Amblyomma americanum, 67
Borrelia burgdorferi, 99
immunocompetence, 99
immunotolerance, 99
Ixodes scapularis, 67, 99
Lyme disease, 67
rickettsioses, 67
tick-borne disease, 67
development, 566, 684
Aedes albopictus, 566
body size, 566
fecundity, 566
Ixodes pacificus, 684
life history, 684
Lyme disease, 684
microhabitat, 684
reserves, 566
survival, 566
diagnostic,
mutation, 44
polymerase chain reaction, 44
resistance mechanism, 44
sodium channel, 44
dispersal, 537, 829
adult survivorship, 537
Aedes aegypti, 537
attractants, 829
mark-release-recapture data analysis, 537
monitoring, 829
Puerto Rico, 537
resting, 829
Rhodnius prolixus, 829
Thailand, 537
dispersion,
Culicidae, 813
habitats, 813
Venezuelan equine encephalitis, 813
virus transport, 813
distribution,
abundance, 774
Connecticut, 774
first record, 774
mosquito, 774
Ochlerotatus japonicus, 774
dogs,
cats, 111
Ctenocephalides canis, 111
Ctenocephalides felis felis, 111
fleas, 111
Mexico, 111
domestic cycle,
Mexico, 638
sylvatic cycle, 638
Triatoma longipennis, 638
Triatoma picturata, 638
drag sampling,
Amblyomma americanum, 606
Ixodes scapularis, 606
Lyme disease, 606
dusky-footed woodrats,
fleas, 75
fluazuron, 75
Neotoma fuscipes, 75
Orchopeas sexdentatus, 75
ticks, 75

E

eastern equine encephalomyelitis virus,
communal roosts, 59
Culiseta melanura, 59
reservoir host, 59
robin, 59
starling, 59
egg,
Aedes lineatopennis, 753
fine structure, 753
scanning electron microscopy, 753
Ehrlichia,
Borrelia, 471
Ixodes ricinus, 471
migratory birds, 471
polymerase chain reaction, 471

electron microscopy,
morphology, 756
Piophila casei, 756
ultrastructure, 756
emergence rate,
Aedes albopictus, 548
asymptotic density, 548
global climate change, 548
mortality rate, 548
rate of increase, 548
emerging diseases,
Australia, 581
Culex sitiens group, 581
Japanese encephalitis virus, 581
Ochlerotatus vigilax, 581
triethylamine, 581
endocrine cell,
Lutzomyia longipalpis, 749
midgut, 749
phlebotomine, 749
Psychodidae, 749
transmission electron microscopy, 749
enhanced green fluorescent protein,
Culex quinquefasciatus, 701
Hermes transposable element, 701
mosquito, 701
transgenic, 701
enzyme electrophoresis,
Brumptomyia, 501
Lutzomyia, 501
species separation, 501
Venezuela, 501
enzyme-linked immunosorbent assay,
antibody response, 603
cattle, 603
Hypoderma spp., 603
ivermectin, 603
esterase activity,
acaricide resistance, 780
Boophilus microplus, 780
tick integument, 780
esterases,
Culex pipiens, 791
fitness, 791
gene amplification, 791
immunocytochemistry, 791
insecticide resistance, 791
exotic tick importation,
Acari, 850
imported, 850
tick, 850

F

fecundity, 22, 566
Aedes albopictus, 566
Anopheles gambiae, 22
biting frequency, 22
body size, 566
development, 566
reserves, 566
sugar feeding, 22
survival, 22, 566
vectorial capacity, 22
feeding,
cat flea, 85
Ctenocephalides felis, 85
juvenile hormone, 85
juvenile hormone mimic, 85
reproduction, 85
field populations,
Aedes aegypti, 641
oviposition, 641
fine structure,
Aedes lineatopennis, 753
egg, 753
scanning electron microscopy, 753
first documented case,
fly larvae, 746
forensic entomology, 746
Thailand, 746
first record,
abundance, 774
Connecticut, 774
distribution, 774
mosquito, 774
Ochlerotatus japonicus, 774
fitness,
Culex pipiens, 791
esterases, 791
gene amplification, 791
immunocytochemistry, 791
insecticide resistance, 791
flea, 576, 735
avermectin, 576
control, 576
gas exchange, 735
membrane feeding, 576
metabolism, 735

systemic, 576
Xenopsylla conformis, 735
fleas, 75, 111
cats, 111
Ctenocephalides canis, 111
Ctenocephalides felis felis, 111
dogs, 111
dusky-footed woodrats, 75
fluazuron, 75
Mexico, 111
Neotoma fuscipes, 75
Orchopeas sexdentatus, 75
ticks, 75
flight,
Aedes vexans, 557
physiology, 557
reproductive potential, 557
reserves, 557
size, 557
fluazuron,
dusky-footed woodrats, 75
fleas, 75
Neotoma fuscipes, 75
Orchopeas sexdentatus, 75
ticks, 75
fly larvae,
first documented case, 746
forensic entomology, 746
Thailand, 746
forensic entomology,
first documented case, 746
fly larvae, 746
Thailand, 746
fungal biomass,
Aedes triseriatus, 711
bacterial production, 711
larval nutrition, 711

G

gas exchange,
flea, 735
metabolism, 735
Xenopsylla conformis, 735
gene amplification, 740, 791
Asia, 740
Culex pipiens, 740, 791
esterases, 791
fitness, 791
immunocytochemistry, 791
insecticide resistance, 791
insecticide resistance evolution, 740
overproduced esterases, 740
resistance gene distribution, 740
gene flow,
cryptic species, 12
isozyme electrophoresis, 12
Lutzomyia longipalpis, 12
sand flies, 12
visceral leishmaniasis, 12
gene identification,
Bacillus sphaericus, 657
Bacillus thuringiensis, 657
Culex pipiens, 657
geographic distribution, 657
resistance, 657
geographic distribution,
Bacillus sphaericus, 657
Bacillus thuringiensis, 657
Culex pipiens, 657
gene identification, 657
resistance, 657
global climate change, 548, 646
adult population size, 646
Aedes albopictus, 548, 646
asymptotic density, 548
emergence rate, 548
mortality eclosion rates, 646
mortality rate, 548
rate of increase, 548
granulocyte,
Armigeres subalbatus, 836
mosquito, 836
plasmatocyte, 836
wound-healing, 836
green fluorescent-*Leishmania*,
nonaxenic flies, 39
sand fly, 39

H

habitats,
Culicidae, 813
dispersion, 813
Venezuelan equine encephalitis, 813
virus transport, 813
Hainan Island,
Aedes aegypti, 93
mark-release-recapture, 93
movement, 93
survival, 93
heat shock,
heat-shock tolerance, 510
molting incidence, 510

Panstrongylus megistus, 510
survival, 510
heat-shock tolerance,
heat shock, 510
molting incidence, 510
Panstrongylus megistus, 510
survival, 510
hemocyte,
Ornithodoros moubata, 514
phagocytosis, 514
protease, 514
hepatitis B virus,
bed bugs, 694
Cimex lectularius, 694
polymerase chain reaction, 694
Hermes transposable element,
Culex quinquefasciatus, 701
enhanced green fluorescent protein, 701
mosquito, 701
transgenic, 701
host choice,
Anopheles gambiae, 868
Anopheles quadriannulatus, 868
behavior, 868
odors, 868
host feeding pattern,
Anopheles gambiae s.s., 122
malaria, 122
São Tomé, 122
Hypoderma spp.,
antibody response, 603
cattle, 603
enzyme-linked immunosorbent assay, 603
ivermectin, 603

I

immunocompetence,
Borrelia burgdorferi, 99
Dermacentor variabilis, 99
immunotolerance, 99
Ixodes scapularis, 99
immunocytochemistry,
Culex pipiens, 791
esterases, 791
fitness, 791
gene amplification, 791
insecticide resistance, 791
immunotolerance,
Borrelia burgdorferi, 99
Dermacentor variabilis, 99
immunocompetence, 99
Ixodes scapularis, 99
imported,
Acari, 850
exotic tick importation, 850
tick, 850
India,
anemia, 613
Anopheles culicifacies, 613
bednets, 613
deltamethrin, 613
malaria, 613
Indian meal moth larva,
accidental infestation, 725
Plodia interpunctella, 725
infusion,
amino acids, 572
mosquitoes, 572
ovarian development, 572
insect embryos,
cryopreservation, 55
cryoprotectant, 55
Culicoides sonorensis, 55
insecticide resistance, 623, 791
Aedes aegypti, 623
Cuba, 623
Culex pipiens, 791
esterases, 791
fitness, 791
gene amplification, 791
immunocytochemistry, 791
mechanisms, 623
Venezuela, 623
insecticide resistance evolution,
Asia, 740
Culex pipiens, 740
gene amplification, 740
overproduced esterases, 740
resistance gene distribution, 740
insect-transmitted disease,
animal protection, 728
black flies, 728
mosquitoes, 728
permethrin, 728
isozyme electrophoresis,
cryptic species, 12
gene flow, 12
Lutzomyia longipalpis, 12
sand flies, 12
visceral leishmaniasis, 12

ivermectin,
antibody response, 603
cattle, 603
enzyme-linked immunosorbent assay, 603
Hypoderma spp., 603
Ixodes pacificus,
development, 684
life history, 684
Lyme disease, 684
microhabitat, 684
Ixodes ricinus,
Borrelia, 471
Ehrlichia, 471
migratory birds, 471
polymerase chain reaction, 471
Ixodes scapularis, 33, 67, 99, 114, 493, 606
Amblyomma americanum, 67, 606
Amblyomma americanum kairomone, 114
arrestant, 114
bioassay, 114
birds, 493
blacklegged tick, 33
Borrelia burgdorferi, 99, 493
Borrelia burgdorgeri, 33
Canada, 493
Dermacentor variabilis, 67, 99
drag sampling, 606
immunocompetence, 99
immunotolerance, 99
Lyme disease, 33, 67, 493, 606
Odocoileus virginianus, 114
rickettsioses, 67
tick-borne disease, 67
ticks, 493
Ixodidae,
Amblyomma americanum, 118, 589
arthropods, 1
juvenile hormone analog, 589
Kansas, 118
lone star tick, 118
Meleagris gallopavo, 118
natural enemies, 1
predators, 1
pryriproxyfen, 589
survival, 589
tick biocontrol, 1
ticks, 1
water-balance, 589
wild turkey, 118

J

Japanese encephalitis virus,
Australia, 581
Culex sitiens group, 581
emerging diseases, 581
Ochlerotatus vigilax, 581
triethylamine, 581
juvenile hormone,
cat flea, 85
Ctenocephalides felis, 85
feeding, 85
juvenile hormone mimic, 85
reproduction, 85
juvenile hormone analog,
Amblyomma americanum, 589
ixodidae, 589
pryriproxyfen, 589
survival, 589
water-balance, 589
juvenile hormone mimic,
cat flea, 85
Ctenocephalides felis, 85
feeding, 85
juvenile hormone, 85
reproduction, 85

K

Kansas,
Amblyomma americanum, 118
Ixodidae, 118
lone star tick, 118
Meleagris gallopavo, 118
wild turkey, 118

L

larval nutrition,
Aedes triseriatus, 711
bacterial production, 711
fungal biomass, 711
Leptotrombidium deliense,
Orientia tsutsugamushi, 17
scrub typhus, 17
Thailand, 17
Trombiculidae, 17
vertical transmission, 17
life history,
development, 684
Ixodes pacificus, 684

Lyme disease, 684
microhabitat, 684
Linshcosteus,
bloodfeeding, 862
Chagas' disease, 862
Reduviidae, 862
similarity, 862
Triatominae, 862
L-lactic acid,
Aedes albopictus, 51
alightment, 51
mosquito repellent, 51
repellency, 51
lone star tick, 118, 596
Amblyomma americanum, 118
blacklegged tick, 596
Ixodidae, 118
Kansas, 118
Lyme disease, 596
Meleagris gallopavo, 118
risk, 596
wild turkey, 118
Lutzomyia,
Brumptomyia, 501
enzyme electrophoresis, 501
species separation, 501
Venezuela, 501
Lutzomyia (Lutzomyia) pseudolongipalpis n. sp.,
Lutzomyia longipalpis, 783
phlebotominae, 783
sand flies, 783
species complex, 783
Lutzomyia longipalpis, 12, 749, 783
cryptic species, 12
endocrine cell, 749
gene flow, 12
isozyme electrophoresis, 12
Lutzomyia (Lutzomyia) pseudolongipalpis n. sp., 783
midgut, 749
phlebotominae, 783
phlebotomine, 749
Psychodidae, 749
sand flies, 12, 783
species complex, 783
transmission electron microscopy, 749
visceral leishmaniasis, 12
Lyme disease, 33, 67, 493, 596, 606, 684
Amblyomma americanum, 67, 606
birds, 493
blacklegged tick, 33, 596
Borrelia burgdorferi, 493
Borrelia burgdorgeri, 33
Canada, 493
Dermacentor variabilis, 67
development, 684
drag sampling, 606
Ixodes pacificus, 684
Ixodes scapularis, 33, 67, 493, 606
life history, 684
lone star tick, 596
microhabitat, 684
rickettsioses, 67
risk, 596
tick-borne disease, 67
ticks, 493

M

malaria, 122, 613, 822
anemia, 613
Anopheles arabiensis, 822
Anopheles culicifacies, 613
Anopheles gambiae, 822
Anopheles gambiae s.s., 122
Anopheles melas, 822
bednets, 613
deltamethrin, 613
host feeding pattern, 122
India, 613
São Tomé, 122
The Gambia, 822
zooprophylaxis, 822
malaria vector,
Anopheles darlingi, 763
proteins, 763
salivary glands, 763
mark-release-recapture,
Aedes aegypti, 93
Hainan Island, 93
movement, 93
survival, 93
mark-release-recapture data analysis,
adult survivorship, 537
Aedes aegypti, 537
dispersal, 537
Puerto Rico, 537
Thailand, 537
mechanisms,
Aedes aegypti, 623
Cuba, 623

insecticide resistance, 623
Venezuela, 623
meconium,
bacteria, 29
Culicidae, 29
metamorphosis, 29
mosquito, 29
peritrophic membrane, 29
Meleagris gallopavo,
Amblyomma americanum, 118
Ixodidae, 118
Kansas, 118
lone star tick, 118
wild turkey, 118
membrane feeding,
avermectin, 576
control, 576
flea, 576
systemic, 576
metabolism,
flea, 735
gas exchange, 735
Xenopsylla conformis, 735
metamorphosis,
bacteria, 29
Culicidae, 29
meconium, 29
mosquito, 29
peritrophic membrane, 29
Mexico, 111, 638
cats, 111
Ctenocephalides canis, 111
Ctenocephalides felis felis, 111
dogs, 111
domestic cycle, 638
fleas, 111
sylvatic cycle, 638
Triatoma longipennis, 638
Triatoma picturata, 638
microhabitat,
development, 684
Ixodes pacificus, 684
life history, 684
Lyme disease, 684
midgut,
endocrine cell, 749
Lutzomyia longipalpis, 749
phlebotomine, 749
Psychodidae, 749
transmission electron microscopy, 749
migratory birds,
Borrelia, 471
Ehrlichia, 471
Ixodes ricinus, 471
polymerase chain reaction, 471
mite,
chigger, 108
rickettsiae, 108
scrub typhus, 108
Thailand, 108
Trombiculidae, 108
molting incidence,
heat shock, 510
heat-shock tolerance, 510
Panstrongylus megistus, 510
survival, 510
monitoring,
attractants, 829
dispersal, 829
resting, 829
Rhodnius prolixus, 829
morphology,
electron microscopy, 756
Piophila casei, 756
ultrastructure, 756
mortality eclosion rates,
adult population size, 646
Aedes albopictus, 646
global climate change, 646
mortality rate,
Aedes albopictus, 548
asymptotic density, 548
emergence rate, 548
global climate change, 548
rate of increase, 548
mosquito, 29, 701, 774, 836
abundance, 774
Armigeres subalbatus, 836
bacteria, 29
Connecticut, 774
Culex quinquefasciatus, 701
Culicidae, 29
distribution, 774
enhanced green fluorescent protein, 701
first record, 774
granulocyte, 836
Hermes transposable element, 701
meconium, 29
metamorphosis, 29
Ochlerotatus japonicus, 774

peritrophic membrane, 29
plasmatocyte, 836
transgenic, 701
wound-healing, 836
mosquito repellent,
Aedes albopictus, 51
alightment, 51
L-lactic acid, 51
repellency, 51
mosquitoes, 572, 728
amino acids, 572
animal protection, 728
black flies, 728
infusion, 572
insect-transmitted disease, 728
ovarian development, 572
permethrin, 728
movement,
Aedes aegypti, 93
Hainan Island, 93
mark-release-recapture, 93
survival, 93
mtDNA sequences,
12S, 675
16S, 675
COI, 675
phylogeny, 675
Triatominae, 675
mutation,
diagnostic, 44
polymerase chain reaction, 44
resistance mechanism, 44
sodium channel, 44

N

natural enemies,
arthropods, 1
Ixodidae, 1
predators, 1
tick biocontrol, 1
ticks, 1
Neotoma fuscipes,
dusky-footed woodrats, 75
fleas, 75
fluazuron, 75
Orchopeas sexdentatus, 75
ticks, 75
New Mexico,
bats, 609
Ornithodoros kelleyi, 609
Ornithodoros rossi, 609
ticks, 609
nonaxenic flies,
green fluorescent-*Leishmania*, 39
sand fly, 39
nuclear magnetic resonance,
Aedes aeqypti, 809
chirality, 809
repellent, 809
structure activity relationship, 809

O

Ochlerotatus japonicus,
abundance, 774
Connecticut, 774
distribution, 774
first record, 774
mosquito, 774
Ochlerotatus vigilax,
Australia, 581
Culex sitiens group, 581
emerging diseases, 581
Japanese encephalitis virus, 581
triethylamine, 581
Odocoileus virginianus,
Amblyomma americanum
kairomone, 114
arrestant, 114
bioassay, 114
Ixodes scapularis, 114
odors,
Anopheles gambiae, 868
Anopheles quadriannulatus, 868
behavior, 868
host choice, 868
onchocerciasis,
Amazonas, 520
biting rate parity, 520
Simulium guianense, 520
Simulium incrustatum, 520
Simulium oyapockense, 520
opossum,
American dog tick, 601
polymerase chain reaction, 601
raccoon, 601
Rickettsia, 601
Orchopeas sexdentatus,
dusky-footed woodrats, 75
fleas, 75
fluazuron, 75
Neotoma fuscipes, 75
ticks, 75
Orientia tsutsugamushi,
Leptotrombidium deliense, 17

scrub typhus, 17
Thailand, 17
Trombiculidae, 17
vertical transmission, 17
Ornithodoros kelleyi,
bats, 609
New Mexico, 609
Ornithodoros rossi, 609
ticks, 609
Ornithodoros moubata,
hemocyte, 514
phagocytosis, 514
protease, 514
Ornithodoros parkeri,
Acarina, 665
Argasidae, 665
Borrelia parkeri, 665
ticks, 665
Ornithodoros rossi,
bats, 609
New Mexico, 609
Ornithodoros kelleyi, 609
ticks, 609
ovarian development,
amino acids, 572
infusion, 572
mosquitoes, 572
overproduced esterases,
Asia, 740
Culex pipiens, 740
gene amplification, 740
insecticide resistance evolution, 740
resistance gene distribution, 740
oviposition,
Aedes aegypti, 641
field populations, 641

P

Panstrongylus megistus,
heat shock, 510
heat-shock tolerance, 510
molting incidence, 510
survival, 510
peritrophic membrane,
bacteria, 29
Culicidae, 29
meconium, 29
metamorphosis, 29
mosquito, 29
permethrin, 728, 760
animal protection, 728, 760
black flies, 728
bluetongue, 760
Ceratopogonidae, 760
Culicoides, 760
insect-transmitted disease, 728
mosquitoes, 728
phagocytosis,
hemocyte, 514
Ornithodoros moubata, 514
protease, 514
phlebotominae,
Lutzomyia (Lutzomyia) pseudolongipalpis n. sp., 783
Lutzomyia longipalpis, 783
sand flies, 783
species complex, 783
phlebotomine,
endocrine cell, 749
Lutzomyia longipalpis, 749
midgut, 749
Psychodidae, 749
transmission electron microscopy, 749
Phthiraptera,
Damalinia, 802
preantennal region, 802
scanning electron microscopy, 802
phylogeny,
12S, 675
16S, 675
COI, 675
mtDNA sequences, 675
Triatominae, 675
physiology,
Aedes vexans, 557
flight, 557
reproductive potential, 557
reserves, 557
size, 557
Piophila casei,
electron microscopy, 756
morphology, 756
ultrastructure, 756
plasmatocyte,
Armigeres subalbatus, 836
granulocyte, 836
mosquito, 836
wound-healing, 836
Plodia interpunctella,
accidental infestation, 725
Indian meal moth larva, 725

polymerase chain reaction, 44, 471, 475, 601, 694
Aedes aegypti, 475
Aedes albopictus, 475
American dog tick, 601
bed bugs, 694
Borrelia, 471
Cimex lectularius, 694
dengue, 475
diagnostic, 44
Ehrlichia, 471
hepatitis B virus, 694
Ixodes ricinus, 471
migratory birds, 471
mutation, 44
opossum, 601
raccoon, 601
resistance mechanism, 44
Rickettsia, 601
sodium channel, 44
vertical transmission, 475
preantennal region,
Damalinia, 802
Phthiraptera, 802
scanning electron microscopy, 802
predators,
arthropods, 1
Ixodidae, 1
natural enemies, 1
tick biocontrol, 1
ticks, 1
protease,
hemocyte, 514
Ornithodoros moubata, 514
phagocytosis, 514
proteins,
Anopheles darlingi, 763
malaria vector, 763
salivary glands, 763
pryriproxyfen,
Amblyomma americanum, 589
ixodidae, 589
juvenile hormone analog, 589
survival, 589
water-balance, 589
Psychodidae,
endocrine cell, 749
Lutzomyia longipalpis, 749
midgut, 749
phlebotomine, 749
transmission electron microscopy, 749
Puerto Rico,
adult survivorship, 537
Aedes aegypti, 537
dispersal, 537
mark-release-recapture data analysis, 537
Thailand, 537

R

raccoon,
American dog tick, 601
opossum, 601
polymerase chain reaction, 601
Rickettsia, 601
rate of increase,
Aedes albopictus, 548
asymptotic density, 548
emergence rate, 548
global climate change, 548
mortality rate, 548
Reduviidae,
bloodfeeding, 862
Chagas' disease, 862
Linshcosteus, 862
similarity, 862
Triatominae, 862
relative humidity,
survival, 629
temperature, 629
Xenopsylla conformis, 629
Xenopsylla ramesis, 629
repellency,
Aedes albopictus, 51
alightment, 51
L-lactic acid, 51
mosquito repellent, 51
repellent,
Aedes aeqypti, 809
chirality, 809
nuclear magnetic resonance, 809
structure activity relationship, 809
reproduction,
cat flea, 85
Ctenocephalides felis, 85
feeding, 85
juvenile hormone, 85
juvenile hormone mimic, 85
reproductive potential,
Aedes vexans, 557
flight, 557

physiology, 557
reserves, 557
size, 557
reserves, 557, 566
Aedes albopictus, 566
Aedes vexans, 557
body size, 566
development, 566
fecundity, 566
flight, 557
physiology, 557
reproductive potential, 557
size, 557
survival, 566
reservoir host,
communal roosts, 59
Culiseta melanura, 59
eastern equine encephalomyelitis virus, 59
robin, 59
starling, 59
resistance,
Bacillus sphaericus, 657
Bacillus thuringiensis, 657
Culex pipiens, 657
gene identification, 657
geographic distribution, 657
resistance gene distribution,
Asia, 740
Culex pipiens, 740
gene amplification, 740
insecticide resistance evolution, 740
overproduced esterases, 740
resistance mechanism,
diagnostic, 44
mutation, 44
polymerase chain reaction, 44
sodium channel, 44
resting,
attractants, 829
dispersal, 829
monitoring, 829
Rhodnius prolixus, 829
reverse-transcriptase polymerase chain reaction,
Aedes aegypti, 720
dengue detection, 720
sticky lure, 720
virus surveillance, 720
Rhodnius prolixus,
attractants, 829
dispersal, 829
monitoring, 829
resting, 829
Rickettsia,
American dog tick, 601
opossum, 601
polymerase chain reaction, 601
raccoon, 601
rickettsiae,
chigger, 108
mite, 108
scrub typhus, 108
Thailand, 108
Trombiculidae, 108
rickettsioses,
Amblyomma americanum, 67
Dermacentor variabilis, 67
Ixodes scapularis, 67
Lyme disease, 67
tick-borne disease, 67
Rift Valley fever,
Aedes, 480
arboviruses, 480
Barkedji, 480
Culex, 480
Senegal, 480
risk,
blacklegged tick, 596
lone star tick, 596
Lyme disease, 596
robin,
communal roosts, 59
Culiseta melanura, 59
eastern equine encephalomyelitis virus, 59
reservoir host, 59
starling, 59

S

salivary glands,
Anopheles darlingi, 763
malaria vector, 763
proteins, 763
sand flies, 12, 783
cryptic species, 12
gene flow, 12
isozyme electrophoresis, 12
Lutzomyia (Lutzomyia) pseudolongipalpis n. sp., 783
Lutzomyia longipalpis, 12, 783
phlebotominae, 783

species complex, 783
visceral leishmaniasis, 12
sand fly,
green fluorescent-*Leishmania*, 39
nonaxenic flies, 39
São Tomé,
Anopheles gambiae s.s., 122
host feeding pattern, 122
malaria, 122
scanning electron microscopy, 753, 802
Aedes lineatopennis, 753
Damalinia, 802
egg, 753
fine structure, 753
Phthiraptera, 802
preantennal region, 802
scrub typhus, 17, 108
chigger, 108
Leptotrombidium deliense, 17
mite, 108
Orientia tsutsugamushi, 17
rickettsiae, 108
Thailand, 17, 108
Trombiculidae, 17, 108
vertical transmission, 17
Senegal,
Aedes, 480
arboviruses, 480
Barkedji, 480
Culex, 480
Rift Valley fever, 480
similarity,
bloodfeeding, 862
Chagas' disease, 862
Linshcosteus, 862
Reduviidae, 862
Triatominae, 862
Simulium guianense,
Amazonas, 520
biting rate parity, 520
onchocerciasis, 520
Simulium incrustatum, 520
Simulium oyapockense, 520
Simulium incrustatum,
Amazonas, 520
biting rate parity, 520
onchocerciasis, 520
Simulium guianense, 520
Simulium oyapockense, 520
Simulium oyapockense,
Amazonas, 520
biting rate parity, 520
onchocerciasis, 520
Simulium guianense, 520
Simulium incrustatum, 520
size,
Aedes vexans, 557
flight, 557
physiology, 557
reproductive potential, 557
reserves, 557
sodium channel,
diagnostic, 44
mutation, 44
polymerase chain reaction, 44
resistance mechanism, 44
species complex,
Lutzomyia (Lutzomyia) pseudolongipalpis n. sp., 783
Lutzomyia longipalpis, 783
phlebotominae, 783
sand flies, 783
species separation,
Brumptomyia, 501
enzyme electrophoresis, 501
Lutzomyia, 501
Venezuela, 501
starling,
communal roosts, 59
Culiseta melanura, 59
eastern equine encephalomyelitis virus, 59
reservoir host, 59
robin, 59
sticky lure,
Aedes aegypti, 720
dengue detection, 720
reverse-transcriptase polymerase chain reaction, 720
virus surveillance, 720
structure activity relationship,
Aedes aeqypti, 809
chirality, 809
nuclear magnetic resonance, 809
repellent, 809
sugar feeding,
Anopheles gambiae, 22
biting frequency, 22

fecundity, 22
survival, 22
vectorial capacity, 22
survival, 22, 93, 510, 566, 589, 629
Aedes aegypti, 93
Aedes albopictus, 566
Amblyomma americanum, 589
Anopheles gambiae, 22
biting frequency, 22
body size, 566
development, 566
fecundity, 22, 566
Hainan Island, 93
heat shock, 510
heat-shock tolerance, 510
ixodidae, 589
juvenile hormone analog, 589
mark-release-recapture, 93
molting incidence, 510
movement, 93
Panstrongylus megistus, 510
pryriproxyfen, 589
relative humidity, 629
reserves, 566
sugar feeding, 22
temperature, 629
vectorial capacity, 22
water-balance, 589
Xenopsylla conformis, 629
Xenopsylla ramesis, 629
sylvatic cycle,
domestic cycle, 638
Mexico, 638
Triatoma longipennis, 638
Triatoma picturata, 638
systemic,
avermectin, 576
control, 576
flea, 576
membrane feeding, 576

T

temperature,
relative humidity, 629
survival, 629
Xenopsylla conformis, 629
Xenopsylla ramesis, 629
tetracycline,
Aedes albopictus, 844
Culex pipiens, 844
cytoplasmic incompatibility, 844
Wolbachia pipientis, 844
Thailand, 17, 108, 537, 746
adult survivorship, 537
Aedes aegypti, 537
chigger, 108
dispersal, 537
first documented case, 746
fly larvae, 746
forensic entomology, 746
Leptotrombidium deliense, 17
mark-release-recapture data analysis, 537
mite, 108
Orientia tsutsugamushi, 17
Puerto Rico, 537
rickettsiae, 108
scrub typhus, 17, 108
Trombiculidae, 17, 108
vertical transmission, 17
The Gambia,
Anopheles arabiensis, 822
Anopheles gambiae, 822
Anopheles melas, 822
malaria, 822
zooprophylaxis, 822
tick,
Acari, 850
exotic tick importation, 850
imported, 850
tick biocontrol,
arthropods, 1
Ixodidae, 1
natural enemies, 1
predators, 1
ticks, 1
tick integument,
acaricide resistance, 780
Boophilus microplus, 780
esterase activity, 780
tick-borne disease,
Amblyomma americanum, 67
Dermacentor variabilis, 67
Ixodes scapularis, 67
Lyme disease, 67
rickettsioses, 67
ticks, 1, 75, 493, 609, 665
Acarina, 665
Argasidae, 665
arthropods, 1
bats, 609
birds, 493
Borrelia burgdorferi, 493

Borrelia parkeri, 665
Canada, 493
dusky-footed woodrats, 75
fleas, 75
fluazuron, 75
Ixodes scapularis, 493
Ixodidae, 1
Lyme disease, 493
natural enemies, 1
Neotoma fuscipes, 75
New Mexico, 609
Orchopeas sexdentatus, 75
Ornithodoros kelleyi, 609
Ornithodoros parkeri, 665
Ornithodoros rossi, 609
predators, 1
tick biocontrol, 1
transgenic,
Culex quinquefasciatus, 701
enhanced green fluorescent protein, 701
Hermes transposable element, 701
mosquito, 701
transmission electron microscopy,
endocrine cell, 749
Lutzomyia longipalpis, 749
midgut, 749
phlebotomine, 749
Psychodidae, 749
Triatoma longipennis,
domestic cycle, 638
Mexico, 638
sylvatic cycle, 638
Triatoma picturata, 638
Triatoma picturata,
domestic cycle, 638
Mexico, 638
sylvatic cycle, 638
Triatoma longipennis, 638
Triatominae, 675, 862
12S, 675
16S, 675
bloodfeeding, 862
Chagas' disease, 862
COI, 675
Linshcosteus, 862
mtDNA sequences, 675
phylogeny, 675
Reduviidae, 862
similarity, 862
triethylamine,
Australia, 581
Culex sitiens group, 581
emerging diseases, 581
Japanese encephalitis virus, 581
Ochlerotatus vigilax, 581
Trombiculidae, 17, 108
chigger, 108
Leptotrombidium deliense, 17
mite, 108
Orientia tsutsugamushi, 17
rickettsiae, 108
scrub typhus, 17, 108
Thailand, 17, 108
vertical transmission, 17

U

ultrastructure,
electron microscopy, 756
morphology, 756
Piophila casei, 756

V

vectorial capacity,
Anopheles gambiae, 22
biting frequency, 22
fecundity, 22
sugar feeding, 22
survival, 22
Venezuela, 501, 623
Aedes aegypti, 623
Brumptomyia, 501
Cuba, 623
enzyme electrophoresis, 501
insecticide resistance, 623
Lutzomyia, 501
mechanisms, 623
species separation, 501
Venezuelan equine encephalitis,
Culicidae, 813
dispersion, 813
habitats, 813
virus transport, 813
vertical transmission, 17, 475
Aedes aegypti, 475
Aedes albopictus, 475
dengue, 475
Leptotrombidium deliense, 17
Orientia tsutsugamushi, 17
polymerase chain reaction, 475
scrub typhus, 17

Thailand, 17
Trombiculidae, 17
virus surveillance,
Aedes aegypti, 720
dengue detection, 720
reverse-transcriptase polymerase chain reaction, 720
sticky lure, 720
virus transport,
Culicidae, 813
dispersion, 813
habitats, 813
Venezuelan equine encephalitis, 813
visceral leishmaniasis,
cryptic species, 12
gene flow, 12
isozyme electrophoresis, 12
Lutzomyia longipalpis, 12
sand flies, 12

W

water-balance,
Amblyomma americanum, 589
ixodidae, 589
juvenile hormone analog, 589
pryriproxyfen, 589
survival, 589
wild turkey,
Amblyomma americanum, 118
Ixodidae, 118
Kansas, 118
lone star tick, 118
Meleagris gallopavo, 118
Wolbachia pipientis,
Aedes albopictus, 844
Culex pipiens, 844
cytoplasmic incompatibility, 844
tetracycline, 844
wound-healing,
Armigeres subalbatus, 836
granulocyte, 836
mosquito, 836
plasmatocyte, 836

X

Xenopsylla conformis, 629, 735
flea, 735
gas exchange, 735
metabolism, 735
relative humidity, 629
survival, 629
temperature, 629
Xenopsylla ramesis, 629
Xenopsylla ramesis,
relative humidity, 629
survival, 629
temperature, 629
Xenopsylla conformis, 629

Z

zooprophylaxis,
Anopheles arabiensis, 822
Anopheles gambiae, 822
Anopheles melas, 822
malaria, 822
The Gambia, 822